## EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1199	(600/547).OOLS.	US-PGPUB; USPAT	OR	OFF	2008/01/18 16:17
S2	12	("20010020138"   "20010034491"   "20030056570"   "3998213"   "4328814"   "5218817"   "523866"   "5335667"   "5484668"   "5685303"   "6577897"   "6977170").PN. OR   ("7283869").UFPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/18 16:43
83	68	("2409033"   "2426958"   "2549836"  "2872926"   "2943627"   "3387608"  "3411495"   "3490439"   "3508541"  "3623477"   "3658054"   "3735753"), P.N. OR ("3998213"), URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/18
S4	24	("1404173"   "3380258"   "3989036"   "3170961"   "5133421"   "5335667"   "55720296"   "5810742"   "58223957"   "6067468"   "6208890"   "6265978"   "6292690"   "6472617"   "6478736"   "663542"   "6865578"   "686540"   "68655798"   "686540"   "6969350"), PN, OR ('7184822"), UFPN,	US PGPUB; USPAT; USOCR	OA	ON	2008/01/18 16:51
S5	1	("7184822").PN.	DERWENT	OR	OFF	2008/01/22 13:57
S6	16599	orthogonal\$4 with electrode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/22 14:03
S7	5339	orthogonal\$4 with electrode	FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/22 14:04

S8	47	orthogonal\$4 with electrode with adjust\$5	FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/22 14:08
S9	6531	electrode with slid\$4	FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/22 14:09
S10	75	electrode with slid\$4 and (perpendiculal\$3 orthogonal\$3)	FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/22 14:16
S11	1026	electrode with slid\$4 and (perpendiculal\$3 orthogonal\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/22 14:18
S12	142	S11 and skin	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/22 14:16
S13	121	electrode with slid\$4 same (perpendiculal\$3 orthogonal\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/22 14:36
S14	434	(600/393).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/01/22 15:16
S15	232	(600/554).OOLS.	US-PGPUB; USPAT	OR	OFF	2008/01/22 15:16
S16	56	(impedance and electrode with adjust \$3).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/28 10:52
S17	66	(impedance and electrode and (slid\$4 position\$4)).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/28 10:59
S18	2	(impedance and electrode and (orthogonal\$3 perpendicular\$3)).ti.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/28 11:19
S19	11	(impedance and electrode and distance). ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/28 11:21
S20	573	600/547.cds. and (electrode with (slid\$3 mov\$3 position\$3 adjust\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/28 11:25
S21	6	("20020040195"   "20020062090"   "20020072687"   "5415176").PN. OR ("6552553").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/28 12:20
S22	6	quadripolar with electrode with adjust\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/29 11:10

S23	36	(quadripolar with electrode) and "600"/\$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/29 11:11
S24	118	((quadripolar tetrapolar) with electrode) and "600"/\$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/29 11:13
\$25	22	((quadripolar tetrapolar) with electrode) with skin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/29 11:13
S26	4702	electrode same (orthogonal\$3 perpendicular (right near angle)) same spacing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/29 11:16
S27	181	S26 and skin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/29 11:17
S28	0	((quadripolar tetrapolar) with electrode) and spacing with adjust\$5	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/29 11:33
<b>S2</b> 9	8	((quadripolar tetrapolar) with electrode) and spacing with (chang\$4 modify \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/01/29 11:33
S30	4148	(600/547,372-397). OCLS.	US-PGPUB; USPAT	OR	OFF	2008/02/01 12:09
S31	32	S30 and "0.8" near (mm millimeter millimeter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/01 12:09
S32	1225	electrode with "0.8" near (mm millimeter millimeter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/01 12:23
S33	446	S32 with thick\$4	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/01 12:24
S34	1202	(600/547).OOLS.	US-PGPUB; USPAT	OR	OFF	2008/02/01 12:26
S35	246	S34 and mm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/01 12:26

S36	33	S34 and mm with between with electrode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/01 12:27
S37	52		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT	OR	ON	2008/02/01 12:31

<sup>2/27/2008 10:49:33</sup> AM

C:\ Documents and Settings\ mapanius\ My Documents\ EAST\ Workspaces\ 10624532e.wsp